

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	("5297262" "5553287" "5875479" "6016495" "20020059425").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:57
L2	6175	(shar\$3 distribut\$3) near5 (configur\$5) with (servic\$3 process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:21
L3	6917	(shar\$3 distribut\$3 (runtime near2 information) (communicat\$3 near2 connection) ((port wire) near3 (information data))) near5 (configur\$5) with (servic\$3 process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:05
L4	58	3 same (local\$3 near3 (computer connection resource))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:21
L5	0	4 and (plural\$3 several multipl\$5 many) near3 (API (application adj programming adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:22
L6	92	3 and (plural\$3 several multipl\$5 many) near3 (API (application adj programming adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:16
L7	59	6 and (permission lock\$3 permit\$3 grant\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:13
L8	41	4 and (permission lock\$3 permit\$3 grant\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:13

EAST Search History

L9	1	3 same (plural\$3 several multipl\$5 many) near3 (API (application adj programming adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:16
L10	0	1 and ((shar\$3 distribut\$3) near5 (configur\$5) with (servic\$3 process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:21
L11	3	1 and (local\$3 near3 (computer connection resource))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:21
L12	0	11 and (plural\$3 several multipl\$5 many) near3 (API (application adj programming adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:22
L13	100	7 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:24
L14	6	13 and (((allocat\$3 distribut\$3 assign\$5) near3 (memory region portion block segment)) same ((configur\$5 runtime communication connection) near3 (information data))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:04
L15	6	14 and ((reciev\$3 send\$3 sent stor\$3 copy\$3 copied) near5 ((configur\$5 runtime communication connection))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:34
L16	4	14 and ((reciev\$3 send\$3 sent stor\$3 copy\$3 copied) near5 ((configur\$5 runtime communication connection) near2 (data information))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:35

EAST Search History

L17	4	16 and (access\$5 permission lock\$3 unlock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:38
L18	0	17 and (((revis\$3 updat\$3) near3 (data information))) with configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:45
L19	3	17 and (((revis\$3 updat\$3) near3 (data information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:50
L20	1	19 and (((most adj recent) (up adj to adj date) latest) near3 (data information configur\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:29
L21	0	19 and ((chang\$3 modif\$5 redirect\$3) near3 pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:57
L22	3	19 and (pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:59
L23	0	22 and ((sufficient\$3 enough) near3 (space capacity memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:27
L24	1	22 and ((sufficient\$3 enough available) near5 (space capacity memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:01

EAST Search History

L25	3	22 and (stor\$3 near5 configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:01
L26	3	25 and (((allocat\$3 distribut\$3 assign\$5) near3 (memory region portion block segment)) same ((configur\$5 runtime communication connection) near3 (information data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:05
L27	0	26 and (((valid\$3 invalid) near3 data) with (memory region portion sector section block segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:08
L28	0	26 and (((valid\$3 invalid) near5 data) with (memory region portion sector section block segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:08
L29	0	26 and (((valid\$3 invalid true right) near5 (data value)) with (memory region portion sector section block segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:11
L30	0	14 and (((valid\$3 invalid true right) near5 (data value)) with (memory region portion sector section block segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:11
L31	34	13 and (((valid\$3 invalid true right) near5 (data value)) with (memory region portion sector section block segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:11
L32	2	8 and (((valid\$3 invalid true right) near5 (data value)) with (memory region portion sector section block segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 22:07

EAST Search History

L33	0	31 and ((sufficient\$3 enough) near3 (space capacity memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:29
L34	1	31 and ((sufficient\$3 enough adequate\$3) near5 (space capacity memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:29
L35	0	34 and (((most adj recent) (up adj to adj date) latest) near3 (data information configur\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:30
L36	0	34 and (((most adj recent) (up adj to adj date) latest) near5 (data information configur\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 22:01
L37	0	26 and (stor\$3 near3 pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 22:03
L38	3	26 and ((identif\$7 parameter value) near5 configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:37
L39	3	38 and (configur\$5 near5 (type port parameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 22:01
L40	1	39 and ((stor\$3 writ\$4 copy\$3) near3 (character string value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:43

EAST Search History

L41	0	39 and (((stor\$3 writ\$4 copy\$3) near3 (character string value nnumber)) with configur\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 21:44
L42	6	13 and (((most adj recent) (up adj to adj date) latest) near5 (data information configur\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 22:01
L43	1	42 and ((stor\$3 chang\$3 updat\$3) near3 pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 22:04
L44	2	42 and ((stor\$3 chang\$3 updat\$3) near5 pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 22:05
L45	1	43 and ((sufficient\$3 enough adequate\$3) near3 (space memory location storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 22:16
L46	0	45 and (((valid\$3 invalid true right) near5 (data value)) with (memory region portion sector section block segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 22:08
L47	0	45 and (((valid\$3 invalid true right) near5 (data value)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 22:10
L48	0	45 and (((valid\$3 invalid true right) near5 (data value character string)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 22:11

EAST Search History

L49	2	42 and (((valid\$3 invalid true right) near5 (data value character string)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 22:13
L50	34	31 and (((valid\$3 invalid true right) near5 (data value character string)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 22:13
L51	2	50 and ((stor\$3 near3 (string character number value)) with (memory region))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 22:17